

Battery-powered light - Head magnetic light Miram, 2.2 W, Touch DIM, 3,000 K, wh




Image similar

Prices

List price (VAT included)	99.95 EUR per 1
Minimum order quantity	1
Order step	1

Information

Order number	346025
EAN	4042943165497
Brand	 DEKOLIGHT






Description

Combine & shine - with the MIRAM series, the sky is the limit for your creativity. Simply combine your favourite colour of lamp head with either a base, wall bracket or pendant fixture. Create your unique lighting in an instant and redesign it any time without tools. Flexible, simple, striking - MIRAM Combine & Shine.

Features

RRP incl. VAT	99.95 EUR
Housing Material	Aluminium
Housing Color	White
Housing Color, Color System	Signal white RAL 9003
Operating Mode	Constant voltage
Connection Type	USB type C
Light Source	Light source not changeable
Light Source	LED
Luminous Efficiency	89.1 lm/W
Light Distribution	Asymmetric
Colour Consistency	6 SDCM
Switching Cycles	15000
Product weight	355 g
Power Supply Unit incl.	No
Number of Accumulator/Battery	1 PCS
Type of Accumulator /Battery	Li-Ion battery type 18650
Accumulator/Battery Chemical System	Li-Ion
Accumulator/Battery Voltage	3.7 V/DC
Accumulator/Battery	

Capacity	4400 mAh
Accumulator	
Operating Time	12 h
Accumulator	
Charging Time	5-7 h
Power Consumption	3 kWh/1000h
Working	
Temperature	-20 to 45 °C
Storage Temperature	-40 to 60 °C
Mounting Location	Inside
Scope of Delivery	1x USB C charging cable
Rated Input Voltage	3.7 V/DC
Accumulator/Battery	
Operated	Yes
Rated Input	2.2 W
Control	Touch-Sensor
Dimmable	Yes
Motion Detector	No
Protection Class	Protection class III/safety extra-low voltage
Lightcolor	Warm white (WW)
Color Temperature	3000 K
Colour Rendering	
Index (Ra)	80
Rated Luminous Flux	196 lm
Rated Angle of Reflection	47 Degree
Height	30 mm
Diameter	120 mm
IP Protection Class	IP 54
Functions	Nightsaver
Life Time L70 / B50	30000 h



Battery-powered light - Head magnetic light Miram, 2.2 W, Touch DIM, 3,000 K, bl




Image similar

Prices

List price (VAT included)	99.95 EUR per 1
Minimum order quantity	1
Order step	1

Information

Order number	346032
EAN	4042943165503
Brand	




Description

Combine & shine - with the MIRAM series, the sky is the limit for your creativity. Simply combine your favourite colour of lamp head with either a base, wall bracket or pendant fixture. Create your unique lighting in an instant and redesign it any time without tools. Flexible, simple, striking - MIRAM Combine & Shine.

Features

RRP incl. VAT	99.95 EUR
Housing Material	Aluminium
Housing Color	Black
Operating Mode	Constant voltage
Connection Type	USB type C
Light Source	Light source not changeable
Light Source	LED
Luminous Efficiency	89.1 lm/W
Light Distribution	Asymmetric
Colour Consistency	6 SDCM
Switching Cycles	15000
Product weight	355 g
Power Supply Unit incl.	No
Number of Accumulator/Battery	1 PCS
Type of Accumulator/Battery	Li-Ion battery type 18650
Accumulator/Battery Chemical System	Li-Ion
Accumulator/Battery Voltage	3.7 V/DC
Accumulator/Battery Capacity	4400 mAh
Accumulator	

Operating Time	12 h
Accumulator Charging Time	5-7 h
Power Consumption Working Temperature	3 kWh/1000h
Storage Temperature	-20 to 45 °C
Mounting Location	-40 to 60 °C
Scope of Delivery	Inside
Rated Input Voltage	1x USB C charging cable
Accumulator/Battery Operated	3.7 V/DC
Rated Input Control	Yes
Dimmable	2.2 W
Motion Detector	Touch-Sensor
Protection Class	Yes
Lightcolor	No
Color Temperature	Protection class III/safety extra-low voltage
Colour Rendering Index (Ra)	Warm white (WW)
Rated Luminous Flux	3000 K
Rated Angle of Reflection	80
Height	196 lm
Diameter	47 Degree
IP Protection Class	30 mm
Functions	120 mm
Life Time L70 / B50	IP 54
	Nightsaver
	30000 h



Battery-powered light - Head magnetic light Miram, 2.2 W, Touch DIM, 3,000 K, gr




Image similar

Prices

List price (VAT included)	99.95 EUR per 1
Minimum order quantity	1
Order step	1

Information

Order number	346033
EAN	4042943165510
Brand	







Description

Combine & shine - with the MIRAM series, the sky is the limit for your creativity. Simply combine your favourite colour of lamp head with either a base, wall bracket or pendant fixture. Create your unique lighting in an instant and redesign it any time without tools. Flexible, simple, striking - MIRAM Combine & Shine.

Features

RRP incl. VAT	99.95 EUR
Housing Material	Aluminium
Housing Color	Grey
Housing Color, Color System	Grey Pantone 422C
Operating Mode	Constant voltage
Connection Type	USB type C
Light Source	Light source not changeable
Light Source	LED
Luminous Efficiency	89.1 lm/W
Light Distribution	Asymmetric
Colour Consistency	6 SDCM
Switching Cycles	15000
Product weight	355 g
Power Supply Unit incl.	No
Number of Accumulator/Battery	1 PCS
Type of Accumulator /Battery	Li-Ion battery type 18650
Accumulator/Battery Chemical System	Li-Ion
Accumulator/Battery Voltage	3.7 V/DC
Accumulator/Battery	

Capacity	4400 mAh
Accumulator	
Operating Time	12 h
Accumulator	
Charging Time	5-7 h
Power Consumption	3 kWh/1000h
Working	
Temperature	-20 to 45 °C
Storage Temperature	-40 to 60 °C
Mounting Location	Inside
Scope of Delivery	1x USB C charging cable
Rated Input Voltage	3.7 V/DC
Accumulator/Battery	
Operated	Yes
Rated Input	2.2 W
Control	Touch-Sensor
Dimmable	Yes
Motion Detector	No
Protection Class	Protection class III/safety extra-low voltage
Lightcolor	Warm white (WW)
Color Temperature	3000 K
Colour Rendering	
Index (Ra)	80
Rated Luminous Flux	196 lm
Rated Angle of	
Reflection	47 Degree
Height	30 mm
Diameter	120 mm
IP Protection Class	IP 54
Functions	Nightsaver
Life Time L70 / B50	30000 h



Battery-powered light - Head magnetic light Miram, 2.2 W, Touch DIM, 3,000 K, re




Image similar

Prices

List price (VAT included)	99.95 EUR per 1
Minimum order quantity	1
Order step	1

Information

Order number	346034
EAN	4042943165527
Brand	 DEKOLIGHT






Description

Combine & shine - with the MIRAM series, the sky is the limit for your creativity. Simply combine your favourite colour of lamp head with either a base, wall bracket or pendant fixture. Create your unique lighting in an instant and redesign it any time without tools. Flexible, simple, striking - MIRAM Combine & Shine.

Features

RRP incl. VAT	99.95 EUR
Housing Material	Aluminium
Housing Color	Red
Housing Color, Color System	Ruby red RAL 3003
Operating Mode	Constant voltage
Connection Type	USB type C
Light Source	Light source not changeable
Light Source	LED
Luminous Efficiency	89.1 lm/W
Light Distribution	Asymmetric
Colour Consistency	6 SDCM
Switching Cycles	15000
Product weight	355 g
Power Supply Unit incl.	No
Number of Accumulator/Battery	1 PCS
Type of Accumulator /Battery	Li-Ion battery type 18650
Accumulator/Battery Chemical System	Li-Ion
Accumulator/Battery Voltage	3.7 V/DC
Accumulator/Battery	

Capacity	4400 mAh
Accumulator	
Operating Time	12 h
Accumulator	
Charging Time	5-7 h
Power Consumption	3 kWh/1000h
Working	
Temperature	-20 to 45 °C
Storage Temperature	-40 to 60 °C
Mounting Location	Inside
Scope of Delivery	1x USB C charging cable
Rated Input Voltage	3.7 V/DC
Accumulator/Battery	
Operated	Yes
Rated Input	2.2 W
Control	Touch-Sensor
Dimmable	Yes
Motion Detector	No
Protection Class	Protection class III/safety extra-low voltage
Lightcolor	Warm white (WW)
Color Temperature	3000 K
Colour Rendering	
Index (Ra)	80
Rated Luminous Flux	196 lm
Rated Angle of	
Reflection	47 Degree
Height	30 mm
Diameter	120 mm
IP Protection Class	IP 54
Functions	Nightsaver
Life Time L70 / B50	30000 h



Battery-powered light - Head magnetic light Miram, 2.2 W, Touch DIM, 3,000 K, ye




Image similar

Prices

List price (VAT included)	99.95 EUR per 1
Minimum order quantity	1
Order step	1

Information

Order number	346035
EAN	4042943165534
Brand	 DEKOLIGHT




Description

Combine & shine - with the MIRAM series, the sky is the limit for your creativity. Simply combine your favourite colour of lamp head with either a base, wall bracket or pendant fixture. Create your unique lighting in an instant and redesign it any time without tools. Flexible, simple, striking - MIRAM Combine & Shine.

Features

RRP incl. VAT	99.95 EUR
Housing Material	Aluminium
Housing Color	Yellow
Operating Mode	Constant voltage
Connection Type	USB type C
Light Source	Light source not changeable
Light Source	LED
Luminous Efficiency	89.1 lm/W
Light Distribution	Asymmetric
Colour Consistency	6 SDCM
Switching Cycles	15000
Product weight	355 g
Power Supply Unit incl.	No
Number of Accumulator/Battery	1 PCS
Type of Accumulator /Battery	Li-Ion battery type 18650
Accumulator/Battery Chemical System	Li-Ion
Accumulator/Battery Voltage	3.7 V/DC
Accumulator/Battery Capacity	4400 mAh
Accumulator	

Operating Time	12 h
Accumulator Charging Time	5-7 h
Power Consumption Working Temperature	3 kWh/1000h
Storage Temperature	-20 to 45 °C
Mounting Location	-40 to 60 °C
Scope of Delivery	Inside
Rated Input Voltage	1x USB C charging cable
Accumulator/Battery Operated	3.7 V/DC
Rated Input Control	Yes
Dimmable	2.2 W
Motion Detector	Touch-Sensor
Protection Class	Yes
Lightcolor	No
Color Temperature	Protection class III/safety extra-low voltage
Colour Rendering Index (Ra)	Warm white (WW)
Rated Luminous Flux	3000 K
Rated Angle of Reflection	80
Height	196 lm
Diameter	47 Degree
IP Protection Class	30 mm
Functions	120 mm
Life Time L70 / B50	IP 54
	Nightsaver
	30000 h



Battery-powered light - Head magnetic light Miram, 2.2 W, Touch DIM, 3,000 K, bl




Image similar

Prices

List price (VAT included)	99.95 EUR per 1
Minimum order quantity	1
Order step	1

Information

Order number	346036
EAN	4042943165541
Brand	 DEKOLIGHT






Description

Combine & shine - with the MIRAM series, the sky is the limit for your creativity. Simply combine your favourite colour of lamp head with either a base, wall bracket or pendant fixture. Create your unique lighting in an instant and redesign it any time without tools. Flexible, simple, striking - MIRAM Combine & Shine.

Features

RRP incl. VAT	99.95 EUR
Housing Material	Aluminium
Housing Color	Blue
Housing Color, Color System	Blue Green Pantone 7468U
Operating Mode	Constant voltage
Connection Type	USB type C
Light Source	Light source not changeable
Light Source	LED
Luminous Efficiency	89.1 lm/W
Light Distribution	Asymetric
Colour Consistency	6 SDCM
Switching Cycles	15000
Product weight	355 g
Power Supply Unit incl.	No
Number of Accumulator/Battery	1 PCS
Type of Accumulator /Battery	Li-Ion battery type 18650
Accumulator/Battery Chemical System	Li-Ion
Accumulator/Battery Voltage	3.7 V/DC
Accumulator/Battery	

Capacity	4400 mAh
Accumulator	
Operating Time	12 h
Accumulator	
Charging Time	5-7 h
Power Consumption	3 kWh/1000h
Working	
Temperature	-20 to 45 °C
Storage Temperature	-40 to 60 °C
Mounting Location	Inside
Scope of Delivery	1x USB C charging cable
Rated Input Voltage	3.7 V/DC
Accumulator/Battery	
Operated	Yes
Rated Input	2.2 W
Control	Touch-Sensor
Dimmable	Yes
Motion Detector	No
Protection Class	Protection class III/safety extra-low voltage
Lightcolor	Warm white (WW)
Color Temperature	3000 K
Colour Rendering	
Index (Ra)	80
Rated Luminous Flux	196 lm
Rated Angle of	
Reflection	47 Degree
Height	30 mm
Diameter	120 mm
IP Protection Class	IP 54
Functions	Nightsaver
Life Time L70 / B50	30000 h



Battery-powered light - Head magnetic light Miram, 2.2 W, Touch DIM, 3,000 K, gr




Image similar

Prices

List price (VAT included)	99.95 EUR per 1
Minimum order quantity	1
Order step	1

Information

Order number	346037
EAN	4042943165558
Brand	

Description

Combine & shine - with the MIRAM series, the sky is the limit for your creativity. Simply combine your favourite colour of lamp head with either a base, wall bracket or pendant fixture. Create your unique lighting in an instant and redesign it any time without tools. Flexible, simple, striking - MIRAM Combine & Shine.

Features

RRP incl. VAT	99.95 EUR
Housing Material	Aluminium
Housing Color	Grün
Housing Color, Color System	Sea greenish gray Pantone 5635U
Operating Mode	Constant voltage
Connection Type	USB type C
Light Source	Light source not changeable
Light Source	LED
Luminous Efficiency	89.1 lm/W
Light Distribution	Asymetric
Colour Consistency	6 SDCM
Switching Cycles	15000
Product weight	355 g
Power Supply Unit incl.	No
Number of Accumulator/Battery	1 PCS
Type of Accumulator /Battery	Li-Ion battery type 18650
Accumulator/Battery Chemical System	Li-Ion
Accumulator/Battery Voltage	3.7 V/DC
Accumulator/Battery	

Capacity	4400 mAh
Accumulator	
Operating Time	12 h
Accumulator	
Charging Time	5-7 h
Power Consumption	3 kWh/1000h
Working	
Temperature	-20 to 45 °C
Storage Temperature	-40 to 60 °C
Mounting Location	Inside
Scope of Delivery	1x USB C charging cable
Rated Input Voltage	3.7 V/DC
Accumulator/Battery	
Operated	Yes
Rated Input	2.2 W
Control	Touch-Sensor
Dimmable	Yes
Motion Detector	No
Protection Class	Protection class III/safety extra-low voltage
Lightcolor	Warm white (WW)
Color Temperature	3000 K
Colour Rendering	
Index (Ra)	80
Rated Luminous Flux	196 lm
Rated Angle of	
Reflection	47 Degree
Height	30 mm
Diameter	120 mm
IP Protection Class	IP 54
Functions	Nightsaver
Life Time L70 / B50	30000 h

