

Battery-powered light - Bundle Canis sand + charging base




Image similar

Prices

List price (VAT included)	109.95 EUR per 1
Minimum order quantity	1
Order step	1

Information

Order number	620194
EAN	4042943179845
Brand	

Description

- Pleasant and wide light distribution
- More than eight hours of light after charging
- Infinitely dimmable via touch sensor
- Light colour adjustable in two stages
- Charge up to six cordless lamps using the stackable charging dock [optional]
- Includes USB charging base



Discover our portable cordless LED lamps from the CANIS series. With a 3.5 W output and 270 lm of brightness, our lamps provide a particularly wide and pleasant light distribution. And the infinitely variable dimming function allows you to set the perfect illumination using the practical touch sensor. Choose from two light colour levels to create the perfect atmosphere. And the best part? One battery charge is enough for more than eight hours of lighting. You can charge up to six lamps at the same time with the optional charging dock, so you always have enough lights to hand. Choose from eight colours, including trendy pastel tones, to reflect your personal style.

Note: Includes USB charging base

Features

RRP incl. VAT	109.95 EUR
Housing Material	Aluminium
Housing Color	Sand
Housing Color, Color System	Sand Pantone 2310 C
Surface structure	Matt
Light Source	Light source changeable TC
Light Source	LED
Luminous Efficiency	77.1 lm/W
Product weight	969 g
Number of Accumulator/Battery	1 PCS
Type of Accumulator /Battery	Li-Ion battery type 18650
Accumulator/Battery Chemical System	LiNiCoO2
Accumulator/Battery Voltage	3.7 V
Accumulator/Battery Capacity	4400 mAh
Accumulator Operating Time	8 h
Accumulator Charging Time	6.5 h
Power Consumption Working Temperature	4 kWh/1000h -20 to 40 °C

Storage Temperature	-20 to 50 °C
Mounting Location	Inside
Mounting Location	Outside
Rated Input Voltage	3.7 V/DC
Accumulator/Battery Operated	Yes
Rated Input Control	3.5 W Touch-Sensor
Dimmable	Yes
Motion Detector	No
Protection Class	Protection class III/safety extra-low voltage
Lightcolor	Warm white (WW)
Color Temperature	2200/3000 K
Colour Rendering Index (Ra)	80
Rated Luminous Flux	270 lm
Light direction	Below
Rated Angle of Reflection	100 Degree
Height	370 mm
Diameter	112 mm
IP Protection Class	IP 65
IK Protection Class	IK04
Functions	Nightsaver
Life Time L70 / B50	20000 h



Battery-powered light - Bundle Canis grey green + charging base




Image similar

Prices

List price (VAT included)	109.95 EUR per 1
Minimum order quantity	1
Order step	1

Information

Order number	620195
EAN	4042943179852
Brand	

Description

- Pleasant and wide light distribution
- More than eight hours of light after charging
- Infinitely dimmable via touch sensor
- Light colour adjustable in two stages
- Charge up to six cordless lamps using the stackable charging dock [optional]
- Includes USB charging base



Discover our portable cordless LED lamps from the CANIS series. With a 3.5 W output and 270 lm of brightness, our lamps provide a particularly wide and pleasant light distribution. And the infinitely variable dimming function allows you to set the perfect illumination using the practical touch sensor. Choose from two light colour levels to create the perfect atmosphere. And the best part? One battery charge is enough for more than eight hours of lighting. You can charge up to six lamps at the same time with the optional charging dock, so you always have enough lights to hand. Choose from eight colours, including trendy pastel tones, to reflect your personal style.

Note: Includes USB charging base

Features

RRP incl. VAT	109.95 EUR
Housing Material	Aluminium
Housing Color	Grey Green
Housing Color, Color System	Grey Green Pantone 5635 U
Surface structure	Matt
Light Source	Light source changeable TC
Light Source	LED
Luminous Efficiency	77.1 lm/W
Product weight	975 g
Number of Accumulator/Battery	1 PCS
Type of Accumulator /Battery	Li-Ion battery type 18650
Accumulator/Battery Chemical System	LiNiCoO2
Accumulator/Battery Voltage	3.7 V
Accumulator/Battery Capacity	4400 mAh
Accumulator Operating Time	8 h
Accumulator Charging Time	6.5 h
Power Consumption Working Temperature	4 kWh/1000h -20 to 40 °C

Storage Temperature	-20 to 50 °C
Mounting Location	Inside
Mounting Location	Outside
Rated Input Voltage	3.7 V/DC
Accumulator/Battery Operated	Yes
Rated Input	3.5 W
Control	Touch-Sensor
Dimmable	Yes
Motion Detector	No
Protection Class	Protection class III/safety extra-low voltage
Lightcolor	Warm white (WW)
Color Temperature	2200/3000 K
Colour Rendering Index (Ra)	80
Rated Luminous Flux	270 lm
Light direction	Below
Rated Angle of Reflection	100 Degree
Height	370 mm
Diameter	112 mm
IP Protection Class	IP 65
IK Protection Class	IK04
Functions	Nightsaver
Life Time L70 / B50	20000 h



Battery-powered light - Bundle Canis terracotta + charging base




Image similar

Prices

List price (VAT included)	109.95 EUR per 1
Minimum order quantity	1
Order step	1

Information

Order number	620196
EAN	4042943179869
Brand	 DEKOLIGHT

Description

- Pleasant and wide light distribution
- More than eight hours of light after charging
- Infinitely dimmable via touch sensor
- Light colour adjustable in two stages
- Charge up to six cordless lamps using the stackable charging dock [optional]
- Includes USB charging base



Discover our portable cordless LED lamps from the CANIS series. With a 3.5 W output and 270 lm of brightness, our lamps provide a particularly wide and pleasant light distribution. And the infinitely variable dimming function allows you to set the perfect illumination using the practical touch sensor. Choose from two light colour levels to create the perfect atmosphere. And the best part? One battery charge is enough for more than eight hours of lighting. You can charge up to six lamps at the same time with the optional charging dock, so you always have enough lights to hand. Choose from eight colours, including trendy pastel tones, to reflect your personal style.

Note: Includes USB charging base

Features

RRP incl. VAT	109.95 EUR
Housing Material	Aluminium
Housing Color	Terracotta
Housing Color, Color System	Terracotta Pantone P49-12 C
Surface structure	Matt
Light Source	Light source changeable TC
Light Source	LED
Luminous Efficiency	77.1 lm/W
Product weight	969 g
Number of Accumulator/Battery	1 PCS
Type of Accumulator /Battery	Li-Ion battery type 18650
Accumulator/Battery Chemical System	LiNiCoO2
Accumulator/Battery Voltage	3.7 V
Accumulator/Battery Capacity	4400 mAh
Accumulator Operating Time	8 h
Accumulator Charging Time	6.5 h
Power Consumption Working	4 kWh/1000h
Temperature	-20 to 40 °C

Storage Temperature	-20 to 50 °C
Mounting Location	Inside
Mounting Location	Outside
Rated Input Voltage	3.7 V/DC
Accumulator/Battery Operated	Yes
Rated Input	3.5 W
Control	Touch-Sensor
Dimmable	Yes
Motion Detector	No
Protection Class	Protection class III/safety extra-low voltage
Lightcolor	Warm white (WW)
Color Temperature	2200/3000 K
Colour Rendering Index (Ra)	80
Rated Luminous Flux	270 lm
Light direction	Below
Rated Angle of Reflection	100 Degree
Height	370 mm
Diameter	112 mm
IP Protection Class	IP 65
IK Protection Class	IK04
Functions	Nightsaver
Life Time L70 / B50	20000 h



Battery-powered light - Bundle Canis blue + charging base




Image similar

Prices

List price (VAT included)	109.95 EUR per 1
Minimum order quantity	1
Order step	1

Information

Order number	620197
EAN	4042943179876
Brand	

Description

- Pleasant and wide light distribution
- More than eight hours of light after charging
- Infinitely dimmable via touch sensor
- Light colour adjustable in two stages
- Charge up to six cordless lamps using the stackable charging dock [optional]
- Includes USB charging base



Discover our portable cordless LED lamps from the CANIS series. With a 3.5 W output and 270 lm of brightness, our lamps provide a particularly wide and pleasant light distribution. And the infinitely variable dimming function allows you to set the perfect illumination using the practical touch sensor. Choose from two light colour levels to create the perfect atmosphere. And the best part? One battery charge is enough for more than eight hours of lighting. You can charge up to six lamps at the same time with the optional charging dock, so you always have enough lights to hand. Choose from eight colours, including trendy pastel tones, to reflect your personal style.

Note: Includes USB charging base

Features

RRP incl. VAT	109.95 EUR
Housing Material	Aluminium
Housing Color	Blue
Housing Color, Color System	Cobalt blue RAL 5013
Surface structure	Matt
Light Source	Light source changeable TC
Light Source	LED
Luminous Efficiency	77.1 lm/W
Product weight	969 g
Number of Accumulator/Battery	1 PCS
Type of Accumulator /Battery	Li-Ion battery type 18650
Accumulator/Battery Chemical System	LiNiCoO2
Accumulator/Battery Voltage	3.7 V
Accumulator/Battery Capacity	4400 mAh
Accumulator Operating Time	8 h
Accumulator Charging Time	6.5 h
Power Consumption Working	4 kWh/1000h
Temperature	-20 to 40 °C

Storage Temperature	-20 to 50 °C
Mounting Location	Inside
Mounting Location	Outside
Rated Input Voltage	3.7 V/DC
Accumulator/Battery Operated	Yes
Rated Input	3.5 W
Control	Touch-Sensor
Dimmable	Yes
Motion Detector	No
Protection Class	Protection class III/safety extra-low voltage
Lightcolor	Warm white (WW)
Color Temperature	2200/3000 K
Colour Rendering Index (Ra)	80
Rated Luminous Flux	270 lm
Light direction	Below
Rated Angle of Reflection	100 Degree
Height	370 mm
Diameter	112 mm
IP Protection Class	IP 65
IK Protection Class	IK04
Functions	Nightsaver
Life Time L70 / B50	20000 h



Battery-powered light - Bundle Canis rust + charging base




Image similar

Prices

List price (VAT included)	109.95 EUR per 1
Minimum order quantity	1
Order step	1

Information

Order number	620198
EAN	4042943179883
Brand	

Description

- Pleasant and wide light distribution
- More than eight hours of light after charging
- Infinitely dimmable via touch sensor
- Light colour adjustable in two stages
- Charge up to six cordless lamps using the stackable charging dock [optional]
- Includes USB charging base


Discover our portable cordless LED lamps from the CANIS series. With a 3.5 W output and 270 lm of brightness, our lamps provide a particularly wide and pleasant light distribution. And the infinitely variable dimming function allows you to set the perfect illumination using the practical touch sensor. Choose from two light colour levels to create the perfect atmosphere. And the best part? One battery charge is enough for more than eight hours of lighting. You can charge up to six lamps at the same time with the optional charging dock, so you always have enough lights to hand. Choose from eight colours, including trendy pastel tones, to reflect your personal style.

Note: Includes USB charging base

Features

RRP incl. VAT	109.95 EUR
Housing Material	Aluminium
Housing Color	Rust
Surface structure	Matt
Light Source	Light source changeable TC
Light Source	LED
Luminous Efficiency	77.1 lm/W
Product weight	969 g
Number of Accumulator/Battery	1 PCS
Type of Accumulator /Battery	Li-Ion battery type 18650
Accumulator/Battery Chemical System	LiNiCoO2
Accumulator/Battery Voltage	3.7 V
Accumulator/Battery Capacity	4400 mAh
Accumulator Operating Time	8 h
Accumulator Charging Time	6.5 h
Power Consumption	4 kWh/1000h
Working Temperature	-20 to 40 °C
Storage Temperature	-20 to 50 °C
Mounting Location	Inside

Mounting Location	Outside
Rated Input Voltage	3.7 V/DC
Accumulator/Battery Operated	Yes
Rated Input	3.5 W
Control	Touch-Sensor
Dimmable	Yes
Motion Detector	No
Protection Class	Protection class III/safety extra-low voltage
Lightcolor	Warm white (WW)
Color Temperature	2200/3000 K
Colour Rendering Index (Ra)	80
Rated Luminous Flux	270 lm
Light direction	Below
Rated Angle of Reflection	100 Degree
Height	370 mm
Diameter	112 mm
IP Protection Class	IP 65
IK Protection Class	IK04
Functions	Nightsaver
Life Time L70 / B50	20000 h



Battery-powered light - Bundle Canis white + charging base




Image similar

Prices

List price (VAT included)	109.95 EUR per 1
Minimum order quantity	1
Order step	1

Information

Order number	620199
EAN	4042943179890
Brand	

Description

- Pleasant and wide light distribution
- More than eight hours of light after charging
- Infinitely dimmable via touch sensor
- Light colour adjustable in two stages
- Charge up to six cordless lamps using the stackable charging dock [optional]
- Includes USB charging base



Discover our portable cordless LED lamps from the CANIS series. With a 3.5 W output and 270 lm of brightness, our lamps provide a particularly wide and pleasant light distribution. And the infinitely variable dimming function allows you to set the perfect illumination using the practical touch sensor. Choose from two light colour levels to create the perfect atmosphere. And the best part? One battery charge is enough for more than eight hours of lighting. You can charge up to six lamps at the same time with the optional charging dock, so you always have enough lights to hand. Choose from eight colours, including trendy pastel tones, to reflect your personal style.

Note: Includes USB charging base

Features

RRP incl. VAT	109.95 EUR
Housing Material	Aluminium
Housing Color	White
Housing Color, Color System	Traffic white RAL 9016
Surface structure	Matt
Light Source	Light source changeable TC
Light Source	LED
Luminous Efficiency	77.1 lm/W
Product weight	969 g
Number of Accumulator/Battery	1 PCS
Type of Accumulator /Battery	Li-Ion battery type 18650
Accumulator/Battery Chemical System	LiNiCoO2
Accumulator/Battery Voltage	3.7 V
Accumulator/Battery Capacity	4400 mAh
Accumulator Operating Time	8 h
Accumulator Charging Time	6.5 h
Power Consumption Working	4 kWh/1000h
Temperature	-20 to 40 °C

Storage Temperature	-20 to 50 °C
Mounting Location	Inside
Mounting Location	Outside
Rated Input Voltage	3.7 V/DC
Accumulator/Battery Operated	Yes
Rated Input	3.5 W
Control	Touch-Sensor
Dimmable	Yes
Motion Detector	No
Protection Class	Protection class III/safety extra-low voltage
Lightcolor	Warm white (WW)
Color Temperature	2200/3000 K
Colour Rendering Index (Ra)	80
Rated Luminous Flux	270 lm
Light direction	Below
Rated Angle of Reflection	100 Degree
Height	370 mm
Diameter	112 mm
IP Protection Class	IP 65
IK Protection Class	IK04
Functions	Nightsaver
Life Time L70 / B50	20000 h



Battery-powered light - Bundle Canis black + charging base



Image similar

Prices

List price (VAT included)	109.95 EUR per 1
Minimum order quantity	1
Order step	1

Information

Order number	620200
EAN	4042943179906
Brand	

Description

- Pleasant and wide light distribution
- More than eight hours of light after charging
- Infinitely dimmable via touch sensor
- Light colour adjustable in two stages
- Charge up to six cordless lamps using the stackable charging dock [optional]
- Includes USB charging base



Discover our portable cordless LED lamps from the CANIS series. With a 3.5 W output and 270 lm of brightness, our lamps provide a particularly wide and pleasant light distribution. And the infinitely variable dimming function allows you to set the perfect illumination using the practical touch sensor. Choose from two light colour levels to create the perfect atmosphere. And the best part? One battery charge is enough for more than eight hours of lighting. You can charge up to six lamps at the same time with the optional charging dock, so you always have enough lights to hand. Choose from eight colours, including trendy pastel tones, to reflect your personal style.

Note: Includes USB charging base

Features

RRP incl. VAT	109.95 EUR
Housing Material	Aluminium
Housing Color	Black
Housing Color, Color System	Graphite black RAL 9011
Surface structure	Matt
Light Source	Light source changeable TC
Light Source	LED
Luminous Efficiency	77.1 lm/W
Product weight	969 g
Number of Accumulator/Battery	1 PCS
Type of Accumulator /Battery	Li-Ion battery type 18650
Accumulator/Battery Chemical System	LiNiCoO2
Accumulator/Battery Voltage	3.7 V
Accumulator/Battery Capacity	4400 mAh
Accumulator Operating Time	8 h
Accumulator Charging Time	6.5 h
Power Consumption Working Temperature	4 kWh/1000h -20 to 40 °C

Storage Temperature	-20 to 50 °C
Mounting Location	Inside
Mounting Location	Outside
Rated Input Voltage	3.7 V/DC
Accumulator/Battery Operated	Yes
Rated Input	3.5 W
Control	Touch-Sensor
Dimmable	Yes
Motion Detector	No
Protection Class	Protection class III/safety extra-low voltage
Lightcolor	Warm white (WW)
Color Temperature	2200/3000 K
Colour Rendering Index (Ra)	80
Rated Luminous Flux	270 lm
Light direction	Below
Rated Angle of Reflection	100 Degree
Height	370 mm
Diameter	112 mm
IP Protection Class	IP 65
IK Protection Class	IK04
Functions	Nightsaver
Life Time L70 / B50	20000 h



Battery-powered light - Bundle Canis grey + charging base




Image similar

Prices

List price (VAT included)	109.95 EUR per 1
Minimum order quantity	1
Order step	1

Information

Order number	620201
EAN	4042943179913
Brand	

Description

- Pleasant and wide light distribution
- More than eight hours of light after charging
- Infinitely dimmable via touch sensor
- Light colour adjustable in two stages
- Charge up to six cordless lamps using the stackable charging dock [optional]
- Includes USB charging base



Discover our portable cordless LED lamps from the CANIS series. With a 3.5 W output and 270 lm of brightness, our lamps provide a particularly wide and pleasant light distribution. And the infinitely variable dimming function allows you to set the perfect illumination using the practical touch sensor. Choose from two light colour levels to create the perfect atmosphere. And the best part? One battery charge is enough for more than eight hours of lighting. You can charge up to six lamps at the same time with the optional charging dock, so you always have enough lights to hand. Choose from eight colours, including trendy pastel tones, to reflect your personal style.

Note: Includes USB charging base

Features

RRP incl. VAT	109.95 EUR
Housing Material	Aluminium
Housing Color	Grey
Housing Color, Color System	Graphite grey RAL 7024
Surface structure	Matt
Light Source	Light source changeable TC
Light Source	LED
Luminous Efficiency	77.1 lm/W
Product weight	969 g
Number of Accumulator/Battery	1 PCS
Type of Accumulator /Battery	Li-Ion battery type 18650
Accumulator/Battery Chemical System	LiNiCoO2
Accumulator/Battery Voltage	3.7 V
Accumulator/Battery Capacity	4400 mAh
Accumulator Operating Time	8 h
Accumulator Charging Time	6.5 h
Power Consumption Working	4 kWh/1000h
Temperature	-20 to 40 °C

Storage Temperature	-20 to 50 °C
Mounting Location	Inside
Mounting Location	Outside
Rated Input Voltage	3.7 V/DC
Accumulator/Battery Operated	Yes
Rated Input	3.5 W
Control	Touch-Sensor
Dimmable	Yes
Motion Detector	No
Protection Class	Protection class III/safety extra-low voltage
Lightcolor	Warm white (WW)
Color Temperature	2200/3000 K
Colour Rendering Index (Ra)	80
Rated Luminous Flux	270 lm
Light direction	Below
Rated Angle of Reflection	100 Degree
Height	370 mm
Diameter	112 mm
IP Protection Class	IP 65
IK Protection Class	IK04
Functions	Nightsaver
Life Time L70 / B50	20000 h



Accessory - 6-way charging station incl. power supply for Canis light




Image similar

Prices

List price (VAT included)	199.95 EUR per 1
Minimum order quantity	1
Order step	1

Information

Order number	930716
EAN	4042943175731
Brand	 DEKOLIGHT

Description

Features

RRP incl. VAT	199.95 EUR
Product weight	1975 g
Protection Class	Protection class III/safety extra-low voltage
Length	470 mm
Width	290 mm
Height	41 mm



Accessory - USB-A plug-in power supply 5 V DC, 1,000 mA, black




Image similar

Prices

List price (VAT included)	8.95 EUR per 1
Minimum order quantity	1
Order step	1

Information

Order number	930887
EAN	4042943182890
Brand	

Description

Features

RRP incl. VAT	8.95 EUR
Housing Material	Plastic
Housing Color	Black
Frequency	50 / 60 Hz
Product weight	18 g
Connection Type	USB
Rated Current in A	0.15 A
Rated Input Voltage	100-240 V/AC
Output Voltage	5 V/DC
Output Current in A	1.0 A
Protection Class	Protection class II /protective insulation
Length	48 mm
Width	14 mm
Height	35 mm
IP Protection Class	IP 20

